

Rillenkugellager einreihig 3033-NS-NICE - 3033-NS-NICE

<https://www.123kugellager.at/kugellager-gehauselager/rillenkugellager/einreihig/3033-ns-nice>

3000 Series® Semi-Ground Radial Bearings (con't) **NICE**

- PRECISION GROUND ON ALL CONTACT SURFACES EXCEPT BORE
- EASY TO USE INCH DIMENSIONS
- ECONOMICAL BEARING FOR LIGHTER LOADS THAN THE 1000 SERIES™ BEARINGS
- MAX SPEED RANGE - 2500 - 3000 RPM
- HARDENED BEARING STEEL
- INFLUX RETAINER STANDARD
- GREASED, DOUBLE SEALED OR DOUBLE SHIELDED STANDARD
- AVAILABLE SINGLE SEALED OR SINGLE SHIELDED, OPEN, AND WITH OR WITHOUT GREASE

| SUFFIX | | | | | | PRINCIPLE DIMENSIONS | |
|---------|-------------|-------------|---------------|---------------|------|-------------------------------------|----------------------------|
| BEARING | DOUBLE SEAL | SINGLE SEAL | DOUBLE SHIELD | SINGLE SHIELD | OPEN | BORE d (in) (mm) | O.D. D (in) (mm) |
| 3033™ | | | | | | +0.005 +0.13 -0.000 -0.005 | +0.000 +0.00 -0.0005 |
| | | | | | NS | 0.6250 15.875 | 1.7000 44.450 |

| BASIC LOAD RATINGS | | | WEIGHT | ABUTMENT AND FILLET DIMENSIONS | | |
|----------------------------|-----------------------------|-----------------------------|-------------------|--------------------------------|------------------------|-----------------------|
| WIDTH B (in) (mm) | DYNAMIC C (lb) (N) | STATIC Co (lb) (N) | W (lb) (kg) | da min (in) (mm) | Da max (in) (mm) | r max (in) (mm) |
| 0.5000 12.700 | 1300 5785 | 1025 4561 | 0.22 0.10 | 0.845 21.46 | 1.530 38.86 | 0.025 0.64 |

Ⓢ Weights given are for greased and sealed versions
Ⓢ 3033 and larger +0.0005/-0.005 (+0.002/-0.13)

PRODUKTMERKMALE

| | |
|------------------|---------------|
| Marke | NICE |
| N° Ean13 | 3663952558707 |
| Innendurchmesser | 15.875 mm |
| Innendurchmesser | 5/8" inch |
| Außendurchmesser | 44.45 mm |
| Außendurchmesser | 1 3/4" inch |
| Dicke | 12.7 mm |
| Dicke | 1/2" inch |
| Gewicht | 100 g |
| Verpackung | 1 |

kontakt@123kugellager.at

+49 (0) 800 001 076 6

CRT4 de Lesquin 60 Rue Du Haut De Sainghin 59273 Fretin FRANCE